
Influences of Intermediate Familial and Peer Toxy coo Usage and History on Young Latino College Students I the Central Valley of California

Lina Rodriguez, Biology
Bulldogs Involved in Tobacco Endgame Research, B.I.T.E.R
California State University, Fresno

This project was partially supported by funds provided by The Regents of the University of California, Research Grants Program Office, Tobacco Related Disease Research Program, Grant Number T33SR6550. The opinions, findings, and conclusions herein are those of the author and not necessarily represent those The Regents of the University of California, or any of its programs.

Target Population



Latino College Students

Recent Research



- 80%pattern use
- 43.2%increase in use, 38.7%decrease in use, Why?



At Home Mandate

- Many college moved back home with their families
- 60%lived at home



Relevance of the Study

 It's important to consider the influence of family on tobacco use among college students.

Research Question

The current study seeks to investigate tobacco and nicotine among Latino college students in California's central valley at the influence of family and peer use patterns (i.e., past and current use).

Hypothesis

Amongst Latino college students,

Familyuse will be positively associated

Peeruse will be positively associated

Family use will be more strongly associated with participants' use than peers.

Methodology





- N=238
 - FresncCity College(65)
 - FresnostatePsych(23)
 - FresnoStateNon-Psych(46)

- 70.7% female, 25% male
- Mean Age = 19.92

Procedure

- Presented purpose of the study
- Provided information for online access
- Compensation: Upon receipt of completed survey & varies
 - FCC = amazon gift card
 - Fresno State = course credit

Methodology





- GlobalAdult Tobacc&urveyGATS
- Onlinesurvey
- Gathereduantativedata

For Example,

- 'How often do you currently smoke tobacco or use any tobacco/nicotine products?"
- Daily, weekly, monthly, less than monthly, or never.

Results

Participant demographics:

- Age
- Immigration status
- Gender

Past and current tobacco and nicotine usage from: **p<0.01 (2-tailed); *p<0.05; N =303; TN_ever - Participant has ever used tobacco or nicotine

Participants, family members and peers

Table 1. Correlation Analysis Examining the Relationship Involving Family and Peer Past and Current Use of Tobacco and Nicotine on Latinx Young Adult's Lifetime Use of Tobacco and Nicotine

| Variable | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------------|--------|-----------------------|--------|-----------------------|-------|--------|-------|
| 1. TN_ever | | | | | | | |
| 2. Current Family | | | | | | | |
| Use | .266** | | | | | | |
| 3. Past Family Use | .242** | . <mark>905*</mark> * | | | | | |
| 4. Current Peer Use | .419** | .360** | .344** | | | | |
| 5. Past Peer Use | .429** | .384** | .351** | . <mark>873</mark> ** | | | |
| 6. Female | -0.021 | 0.076 | 0.005 | 0.022 | 0.031 | | |
| 7. Age | .299** | 0.107 | 0.139 | .142* | 0.138 | -0.06 | |
| 8. Imm_gen | 0.101 | .124* | 0.09 | 0.035 | 0.037 | -0.045 | 0.014 |
| | | | | | | | |

products; Imm_gen - generational immigration status

Results

Table 2. Regression Analysis Examining the Relationship Involving Family and Peer Past use of Tobacco and Nicotine on Latinx Young Adult's Lifetime Use of Tobacco and Nicotine

| | b | SE | β | p |
|----------------|------|------|------|---------|
| Age | 0.01 | 0.00 | 0.30 | < 0.001 |
| Female | 0.00 | 0.02 | 0.01 | 0.87 |
| Family Use (P) | 0.01 | 0.01 | 0.10 | 0.16 |
| Peer Use (P) | 0.20 | 0.01 | 0.29 | <0.001 |

Table 3. Regression Analysis Examining the Relationship Involving Family and Peer Current use of Tobacco and Nicotine on Latinx Young Adult's Lifetime Use of Tobacco and Nicotine


| | b | SE | β | p |
|----------------|-------|------|------|---------|
| Age | 0.02 | 0.00 | 0.30 | <.001 |
| Female | 0.00 | 0.02 | 0.01 | 0.83 |
| Family Use (C) | 0.016 | 0.01 | 0.12 | 0.10 |
| Peer Use (C) | 0.020 | 0.01 | 0.24 | < 0.001 |

Results

Amongst Latino college students,

Concurrent examination pastamily & peeruse related to current use

> Concurrent examination of the family & peer use related to current use









Highlighting key role that peers play but acknowledging influence of family in early adulthood

Limitations



Sample Size

- Small, limited amount of participants
- Larger sample size, more variety



Gender

- Mostly Female participants
- Needs more variation



Span of the Study

- Study is not orgoing or long term
- New tobacco and nicotine products
- No participant follow up

Future Directions

Further Investigation

- Current residing residence
- Why are young Latina adults using tobacco products?
 - Are they being targeted?
 - Are they just trying to fit in?
- Are males less likely to talk about their usage of tobacco and nicotine products?





