UNDERSTANDING THE CULTURAL FACTORS INFLUENCING TOBACCO CESSATION AMONG LATINX COLLEGE STUDENTS

Scholar: Martin Montes
Principal Investigator: Rosa Toro, PhD
Bulldogs Involved In Tobacco Endgame Research
California State University, Fresno









WHAT IS ESTABLISHED IN THE LITERARTURE

13.5% of Latinx adults in Fresno
 County still use tobacco/nicotine



 High e-cigarette use in collegeage Latinx students



 Mental health struggles increase substance use



 National data doesn't reflect local student struggles



 Latinx students face added stress from identity, stigma, & family roles





WHAT DROVE THIS RESEARCH

- Are services culturally relevant?
- What supports were missing when students tried to quit?
- Do programs reflect identity and lived experience?





Fresno county:

- 2-year Institutions
- 4-year Institutions

- 1. California State University, Fresno
- 2. Fresno City College

Male: Female: N/a: 47 147 18 69.3% 22.2% 8.5%

Mean Age: 19.68



PARTICIPANTS

Targeted Latinx college students; majority identified as Hispanic.


Incentives for Participation:

• \$25 Amazon Gift Card



Extra Credit(varied by instructor)





Top 5 reported barriers to quitting

RESULTS (PART 1)

Lowest 5 reported barriers to quitting

RESULTS (PART 2)



PUTTING IT INTO WORDS

Latinx students face cultural disconnects in both quitting support and resources.



BIGGEST BARRIER: LACK
OF SUPPORT FROM
FAMILY OR FRIENDS



STUDENTS WANTED
RELATABLE INFO, PEER
SUPPORT, AND SAFE
SPACES




MOST VALUED:
BILINGUAL THERAPY,
GROUP SUPPORT, AND
LANGUAGE ACCESS



LEAST HELPFUL:
RELIGIOUS LEADERS,
HOTLINES, OR GENERIC
MATERIALS

KEY TAKEAWAYS

Culture isn't an add-on — it's the foundation for meaningful tobacco cessation.



One-size-fits-all doesn't work



Cultural alignment matters




Students know what they need



Programs must be built with students —not just for them

Q.U.I.T

A student-informed framework:





This project was partially supported by funds provided by The Regents of the University of California, Research Grants Program Office, Tobacco Related Disease Research Program, Grant Number T33SR6550. The opinions, findings, and conclusions herein are those of the author and not necessarily represent those The Regents of the University of California, or any of its programs.

• • • • • • • • • • • • • • • •

THANKSOU

Q & A